

Storz COUPLINGS



 **BODTECH®**
FIREFIGHTING

Storz couplings: Suction hose couplings

Standard: EN/DIN

Material: Stainless Steel 1.4581

Seal: Viton

Name	KA/mm	Code	Weight	D	H	Material
KA31-25	31	B0803002	–	24.5	53	SS
KA66-38	66	B0803351	–	38	90	SS
KA66-52	66	B0803378	–	52	90	SS
KA81-65	81	B0803008	–	65	95	SS
KA89-75	89	B0803010	–	75	125	SS
KA89-80	89	B0803381	–	80	125	SS
KA133-100	133	B0803112	–	100	170	SS
KA133-110	133	B0803012	–	110	170	SS
KA160-150	150	B0803149	–	150	180	SS




Storz couplings: Suction hose couplings

Standard: EN/DIN

Material: Brass

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-20	31	B0803073	–	20	53	BR
KA31-25	31	B0803075	–	24.5	53	BR
KA44-19	44	B0803409	–	19	70	BR
KA44-25	44	B0803076	–	25	70	BR
KA44-32	44	B0803077	–	32	70	BR
KA51-25	51	B0803185	–	24.5	90	BR
KA51-32	51	B0803083	–	32	90	BR
KA51-38	51	B0803082	–	38	90	BR
KA66-25	66	B0803085	–	24.5	90	BR
KA66-32	66	B0803087	–	32	95	BR
KA66-38	66	B0803089	–	38	95	BR
KA66-45	66	B0803091	–	45	95	BR
KA66-52	66	B0803094	–	52	95	BR
KA66-64	66	B0803062	–	64	95	BR
KA66-52	66	B0803196	–	52	55	BR
KA81-38	81	B0803099	–	38	95	BR
KA81-52	81	B0803101	–	52	95	BR
KA81-65	81	B0803104	–	65	95	BR
KA89-75	89	B0803107	–	75	125	BR
KA133-100	133	B0803113	–	100	170	BR
KA133-110	133	B0803114	–	110	170	BR



Storz couplings: Suction hose couplings

Standard: EN/DIN

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-20	31	B0803046	–	20	53	AL Forging
KA31-25	31	B0803299	–	24.5	53	AL Forging
KA44-32	44	B0803056	–	32	70	AL Forging
KA51-32	51	B0803048	–	32	90	AL Forging
KA51-38	51	B0803047	–	38	90	AL Forging
KA59-45	59	B0803239	–	45	90	AL Forging
KA59-52	59	B0803240	–	52	90	AL Forging
KA66-25	66	B0803301	–	24.5	90	AL Forging
KA66-32	66	B0803313	–	32	90	AL Forging
KA66-38	66	B0803325	–	38	90	AL Forging
KA66-42	66	B0803390	–	42	90	AL Forging
KA66-45	66	B0803296	–	45	90	AL Forging
KA66-50	66	B0803059	–	50	90	AL Forging
KA66-52	66	B0803311	–	52	90	AL Forging
KA66-60	66	B0803057	–	60	90	AL Forging
KA66-64	66	B0803061	–	64	90	AL Forging
KA81-38	81	B0803063	–	38	90	AL Forging
KA81-52	81	B0803051	–	52	95	AL Forging
KA81-63	81	B0803052	–	63	95	AL Forging
KA81-65	81	B0803274	–	65	95	AL Forging
KA81-75	81	B0803359	–	75	125	AL Forging
KA89-52	89	B0803043	–	52	125	AL Forging
KA89-63	89	B0803042	–	63	125	AL Forging
KA89-65	89	B0803326	–	65	125	AL Forging
KA89-70	89	B0803363	–	70	125	AL Forging
KA89-75	89	B0803360	–	75	125	AL Forging
KA89-75	89	B0803318	–	75	60	AL Forging
KA89-75	89	B0803043	–	75	52	AL Forging
KA89-80	89	B0803378	–	80	125	AL Forging
KA115-100	115	B0803368	–	100	150	AL Forging
KA133-90	133	B0803392	–	90	170	AL Forging
KA133-100	133	B0803286	–	100	170	AL Forging
KA133-110	133	B0803289	–	110	170	AL Forging
KA133-125	133	B0803184	–	125	180	AL Forging
KA160-150	160	B0803212	–	150	180	AL Forging

KA89-75	89	B0803501	–	–	75	AL Forging+CS
KA133-102	133	B0803500	–	–	102	AL Forging+CS



CS

Storz couplings


Storz couplings: Suction hose couplings

Standard: EN/DIN

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-20	31	B0803046	—	20	53	AL casting
KA31-25	31	B0803174	—	24.5	53	AL casting
KA66-25	66	B0803175	—	24.5	90	AL casting
KA66-32	66	B0803176	—	32	90	AL casting
KA66-38	66	B0803177	—	38	90	AL casting
KA66-42	66	B0803197	—	42	90	AL casting
KA66-52	66	B0803264	—	52	42	AL casting
KA66-45	66	B0803178	—	45	90	AL casting
KA66-50	66	B0803347	—	50.4	95	AL casting
KA66-52	66	B0803160	—	52	90	AL casting
KA66-52	66	B0803161	—	52	55	AL casting
KA81-65	89	B0803198	—	52	125	AL casting
KA81-65	81	B0803541	—	65	52	AL casting
KA81-65	81	B0803540	—	61	63	AL casting
KA81-65	81	B0803542	—	61	65	AL casting
KA81-65	81	B0803543	—	65	75	AL casting
KA81-65	89	B0803544	—	65	—	AL casting
KA81-75	81	B0803395	—	75	95	AL casting
KA89-52	89	B0803396	—	52	125	AL casting
KA89-65	89	B0803198	—	65	125	AL casting
KA89-63	89	B0803502	—	63	125	AL casting
KA89-70	89	B0803162	—	70	125	AL casting
KA89-75	89	B0803171	—	75	125	AL casting
KA89-75	89	B0803172	—	75	60	AL casting
KA89-75	89	B0803316	—	76.4	114	AL casting
KA89-75	89	B0803265	—	75.4	114	AL casting
KA133-90	133	B0803323	—	90	—	AL casting
KA133-100	133	B0803269	—	100	170	AL casting
KA133-110	133	B0803270	—	110	170	AL casting




Storz couplings: Suction hose couplings with smooth thread

Standard: EN/DIN

Material: Stainless Steel 1.4581 / Aluminum

Seal: Viton / NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-25	31	B0803133	–	25.4	90	SS
KA66-50	66	B0803139	–	50.4	96	SS
KA89-75	89	B0803143	–	75.4	117	SS
KA133-100	133	B0803145	–	100.3	160	SS
KA66-50	66	B0803328	–	50.4	95	AL Forging
KA89-75	89	B0803329	–	75.4	114	AL Forging
KA89-76	89	B0803447	–	76.4	114	AL Forging
KA133-100	133	B0803362	–	100.3	153	AL Forging
KA66-50	66	B0803346	–	50.4	95	AL Casting
KA89-75	89	B0803265	–	75.4	114	AL Casting
KA89-76	89	B0803448	–	76.4	114	AL Casting
KA133-100	133	B0803275	–	100.3	153	AL Casting



Storz couplings


Storz couplings: Suction hose couplings with serrated thread

Standard: EN/DIN

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-21	31	B0803060	–	21.5	50	AL Forging
KA31-25	31	B0803455	–	25.4	53	AL Forging
KA66-50	66	B0803458	–	50.4	95	AL Forging
KA160-152	66	B0803503	–	160		AL Forging
KA66-50	66	B0803462	–	50.4	95	AL Casting
KA89-76	89	B0803464	–	76.4	114	AL Casting




Storz couplings: Suction hose couplings with serrated thread with collar

Standard: EN/DIN

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA66-38	66	B0803456	–	38.4	87	AL Forging
KA66-50	66	B0803347	–	50.4	95	AL Casting
KA89-64	89	B0803463	–	64	125	AL Casting
KA89-76	89	B0803316	–	76.4	114	AL Casting
KA133-102	133	B0803288	–	102	153	AL casting




Storz couplings: Storz female thread

Standard: EN/DIN

Material: Stainless Steel 1.4581

Seal: Viton

Name	KA/mm	Code	Weight	D	H	Material
KA31-G3/4"	31	B0812042	-	G3/4"	30	SS
KA31-G1/2"	31	B0812040	-	G1/2"	30	SS
KA31-G1"	31	B0812105	-	G1"	30	SS
KA51-G1-1/2"	51	B0812053	-	G1-1/2"	33	SS
KA51-G2"	51	B0812055	-	G2"	-	SS
KA66-G1"	66	B0812059	-	G1"	35.5	SS
KA66-G1-1/4"	66	B0812061	-	G1-1/4"	35.5	SS
KA66-G1-1/2"	66	B0812063	-	G1-1/2"	35.5	SS
KA66-G2"	66	B0812180	-	G2"	40	SS
KA81-G2-1/2"	81	B0812238	-	G2-1/2"	40.5	SS
KA89-G2"	89	B0812076	-	G2"	41	SS
KA89-G2-1/2"	89	B0812078	-	G2-1/2"	42	SS
KA89-G3"	89	B0812233	-	G3"	41.5	SS
KA133-G4"	133	B0812247	-	G4"	48	SS
KA133-G4-1/2"	133	B0812084	-	G4-1/2"	48	SS




Storz couplings: Storz female thread

Standard: EN/DIN

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-G3/4"	31	B0812091	-	G3/4"	-	AL Casting
KA31-G1"	31	B0812114	-	G1"	-	AL Casting
KA66-G1"	66	B0812094	-	G1"	-	AL Casting
KA66-G1-1/4"	66	B0812116	-	G1-1/4"	-	AL Casting
KA66-G1-1/2"	66	B0812113	-	G1-1/2"	-	AL Casting
KA66-G2"	66	B0812088	-	G2"	-	AL Casting
KA66-G2-1/2"	66	B0812095	-	G2-1/2"	-	AL Casting
KA81-G2-1/2"	81	B0812328	-	G2-1/2"	-	AL Casting
KA89-G2"	89	B0812115	-	G2"	-	AL Casting
KA89-G2-1/2"	89	B0812112	-	G2-1/2"	-	AL Casting
KA89-G3"	89	B0812039	-	G3"	-	AL Casting
KA133-G4"	133	B0812097	-	G4"	-	AL Casting
KA133-G4-1/2"	133	B0812096	-	G4-1/2"	-	AL Casting



Storz
AL Casting
B75 and C52

Storz
AL Casting
A110


Storz couplings: Storz female thread

Standard: EN/DIN

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-G1/2"	31	B0812022	-	G1/2"	30	AL Forging
KA31-G3/4"	31	B0812021	-	G3/4"	30	AL Forging
KA31-G1"	31	B0812001	-	G1"	30	AL Forging
KA31-G2"	31	B0812128	-	G2"	-	AL Forging
KA44-G1"	44	B0812024	-	G1"	31	AL Forging
KA44-G1-1/4"	44	B0812006	-	G1-1/4"	31	AL Forging
KA51-G1"	51	B0812380	-	G1"	33	AL Forging
KA51-G1-1/4"	51	B0812381	-	G1-1/4"	33	AL Forging
KA51-G1-1/2"	51	B0812002	-	G1-1/2"	33	AL Forging
KA51-G2"	51	B0812012	-	G2"	37.5	AL Forging
KA59-G1-1/2"	59	B0812266	-	G1-1/2"	-	AL Forging
KA59-G2"	59	B0812026	-	G2"	35	AL Forging
KA66-G1"	66	B0812156	-	G1"	35.5	AL Forging
KA66-G1-1/4"	66	B0812008	-	G1-1/4"	35.5	AL Forging
KA66-G1-1/2"	66	B0812157	-	G1-1/2"	35.5	AL Forging
KA66-G2"	66	B0812155	-	G2"	40	AL Forging
KA66-G2-1/2"	66	B0812009	-	G2-1/2"	40	AL Forging
KA81-G1"	81	B0812018	-	G1"	36	AL Forging
KA81-G1-1/2"	81	B0812017	-	G1-1/2"	36	AL Forging
KA81-G2"	81	B0812158	-	G2"	40.5	AL Forging
KA81-G2-1/2"	81	B0812159	-	G2-1/2"	40.5	AL Forging
KA81-G3"	81	B0812015	-	G3"	39	AL Forging
KA89-G2"	89	B0812023	-	G2"	41	AL Forging
KA89-G2-1/2"	89	B0812160	-	G2-1/2"	41	AL Forging
KA89-G3"	89	B0812005	-	G3"	41.5	AL Forging
KA115-G4"	115	B0812025	-	G4"	48	AL Forging
KA133-G4"	133	B0812012	-	G4"	48	AL Forging
KA133-G4-1/2"	133	B0812011	-	G4-1/2"	48	AL Forging
KA148-G5"	148	B0812382	-	G5"	-	AL Forging
KA160-G6"	160	B0812383	-	G6"	-	AL Forging



AL

Storz couplings

Storz couplings: Storz female thread


Standard: EN/DIN

Material: Brass

Seal: NBR black or white

Storz couplings

Name	KA/mm	Code	Weight	D	H	Material
KA31-G3/4"	31	B0812043	-	G3/4"	30	BR
KA31-G1/2"	31	B0812041	-	G1/2"	30	BR
KA31-G1"	31	B0812044	-	G1"	30	BR
KA31-G2"	31	B0812304	-	G2"	-	BR
KA44-G1"	44	B0812046	-	G1"	31	BR
KA44-G1-1/4"	44	B0812048	-	G1-1/4"	31	BR
KA51-G1"	51	B0812050	-	G1"	33	BR
KA51-G1-1/4"	51	B0812052	-	G1-1/4"	33	BR
KA51-G1-1/2"	51	B0812054	-	G1-1/2"	33	BR
KA51-G2"	51	B0812056	-	G2"	37.5	BR
KA59-G2"	59	B0812058	-	G2"	35	BR
KA66-G1"	66	B0812060	-	G1"	35.5	BR
KA66-G1-1/4"	66	B0812307	-	G1-1/4"	35.5	BR
KA66-G1-1/2"	66	B0812064	-	G1-1/2"	35.5	BR
KA66-G2"	66	B0812035	-	G2"	40	BR
KA66-G2-1/2"	66	B0812066	-	G2-1/2"	40	BR
KA81-G1"	81	B0812068	-	G1"	36	BR
KA81-G1-1/2"	81	B0812070	-	G1-1/2"	36	BR
KA81-G2"	81	B0812072	-	G2"	40.5	BR
KA81-G2-1/2"	81	B0812073	-	G2-1/2"	40.5	BR
KA81-G3"	81	B0812075	-	G3"	39	BR
KA89-G2"	89	B0812077	-	G2"	41	BR
KA89-G2-1/2"	89	B0812079	-	G2-1/2"	42	BR
KA89-G3"	89	B0812080	-	G3"	41.5	BR
KA115-G4"	115	B0812082	-	G4"	48	BR
KA133-G4"	133	B0812083	-	G4"	48	BR
KA133-G4-1/2"	133	B0812085	-	G4-1/2"	48	BR
KA148-G5"	148	B0812311	-	G5"	-	BR
KA160-G6"	160	B0812312	-	G6"	-	BR



Storz couplings: Storz male thread

Standard: EN/DIN


Material: Stainless Steel 1.4581

Seal: Viton

Name	KA/mm	Code	Weight	D	H	Material
KA31-3/4"	31	B0811095	–	3/4"	33	SS
KA31-1/2"	31	B0811025	–	1/2"	33	SS
KA31-1"	31	B0811094	–	1"	33	SS
KA66-1-1/4"	66	B0811038	–	1 1/4"	30	SS
KA66-1"	66	B0811093	–	1"	30	SS
KA66-2"	66	B0811135	–	2"	36	SS
KA66-1-1/2"	66	B0811040	–	1 1/2"	34	SS
KA81-2-1/2"	81	B0811199	–	2 1/2"	–	SS
KA89-2"	89	B0811200	–	2"	–	SS
KA89-2-1/2"	89	B0811050	–	2 1/2"	38	SS
KA89-3"	89	B0811201	–	3"	38	SS
KA133-4"	133	B0811183	–	4"	47	SS



SS



Storz couplings: Storz male thread

Standard: EN/DIN


Material: Brass

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-1/2"	31	B0811026	–	1/2"	33	BR
KA31-1"	31	B0811029	–	1"	33	BR
KA44-1-1/4"	44	B0811033	–	1 1/4"	34	BR
KA51-1-1/2"	51	B0811035	–	1 1/2"	32.5	BR
KA66-1"	66	B0811217	–	1"	30	BR
KA66-1-1/4"	66	B0811039	–	1 1/4"	30	BR
KA66-1-1/2"	66	B0811041	–	1 1/2"	34	BR
KA66-2"	66	B0811042	–	2"	36	BR
KA66-2-1/2"	66	B0811219	–	2 1/2"	–	BR
KA81-1-1/2"	81	B0811044	–	1 1/2"	35.5	BR
KA81-2-1/2"	81	B0811047	–	2 1/2"	37.5	BR
KA89-2"	89	B0811221	–	2"	–	BR
KA89-2-1/2"	89	B0811051	–	2 1/2"	38	BR
KA89-3"	89	B0811052	–	3"	38	BR
KA133-4"	133	B0811053	–	4"	47	BR



BR




Storz couplings: Storz male thread

Standard: EN/DIN
Material: Aluminum
Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-3/4"	31	B0811020	-	3/4"	33	AL Forging
KA31-1/2"	31	B0811019	-	1/2"	33	AL Forging
KA31-1"	31	B0811006	-	1"	33	AL Forging
KA44-1"	44	B0811012	-	1"	34	AL Forging
KA44-1-1/4"	44	B0811011	-	1-1/4"	34	AL Forging
KA51-1-1/2"	51	B0811007	-	1-1/2"	32.5	AL Forging
KA66-1"	66	B0811022	-	1"	30	AL Forging
KA66-1-1/4"	66	B0811209	-	1-1/4"	30	AL Forging
KA66-1-1/2"	66	B0811189	-	1-1/2"	34	AL Forging
KA66-2"	66	B0811181	-	2"	36	AL Forging
KA66-2-1/2"	66	B0811100	-	2-1/2"	-	AL Forging
KA81-1-1/2"	81	B0811018	-	1-1/2"	35.5	AL Forging
KA81-2"	81	B0811190	-	2"	37.5	AL Forging
KA81-2-1/2"	81	B0811009	-	2-1/2"	37.5	AL Forging
KA81-3"	81	B0811016	-	3"	37.5	AL Forging
KA89-2"	89	B0811101	-	2"	-	AL Forging
KA89-2-1/2"	89	B0811021	-	2-1/2"	38	AL Forging
KA89-3"	89	B0811009	-	3"	38	AL Forging
KA133-4"	133	B0811011	-	4"	47	AL Forging

KA31-1"	31	B0811096	-	1"	-	AL Casting
KA66-1"	66	B0811081	-	1"	-	AL Casting
KA66-1-1/4"	66	B0811083	-	1-1/4"	-	AL Casting
KA66-1-1/2"	66	B0811082	-	1-1/2"	-	AL Casting
KA66-2"	66	B0811088	-	2"	-	AL Casting
KA66-2-1/2"	66	B0811084	-	2-1/2"	-	AL Casting
KA89-2"	89	B0811085	-	2"	-	AL Casting
KA89-2-1/2"	89	B0811097	-	2-1/2"	-	AL Casting
KA89-3"	89	B0811075	-	3"	-	AL Casting
KA133-4"	133	B0811087	-	4"	-	AL Casting




Storz couplings: Storz swivel female thread

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	D	H	Weight	Material
KA66-2"	66	B0812207	2"	-	-	AL Casting
KA89-2-1/2"	89	B0812213	2-1/2"	-	-	AL Casting
KA89-3"	89	B0812208	3"	-	-	AL Casting
KA133-4"	133	B0812214	4"	-	-	AL Forging
KA66-2"	66	B0812256	2"	-	-	AL Forging
KA89-3"	89	B0812257	3"	-	-	AL Forging
KA133-4"	133	B0812258	4"	-	-	AL Forging



Storz couplings: Storz swivel female thread

Material: Aluminum+Carbon steel

Seal: NBR black or white

Name	KA/mm	Code	D	H	Weight	Material
KA66-G2"	66	B0812354	G2"	-	-	AL Forging+CS
KA89-G2-1/2"	89	B0812355	G2-1/2"	-	-	AL Forging+CS
KA89-G3"	89	B0812356	G3"	-	-	AL Forging+CS
KA133-G4"	133	B0812357	G4"	-	-	AL Forging+CS




Storz couplings: Storz swivel male thread

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	D	H	Weight	Material
KA66-G2"	66	B0811153	G2"	-	-	AL Casting
KA89-G2-1/2"	89	B0811154	G2-1/2"	-	-	AL Casting
KA89-G3"	89	B0811155	G3"	-	-	AL Casting
KA133-G4"	133	B0811156	G4"	-	-	AL Casting



Storz couplings: Storz female with lock

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	D	H	Weight	Material
KA66-G2"	66	B0812132	G2"	-	-	AL Forging
KA89-G3"	89	B0812133	G3"	-	-	AL Forging
KA115-G4"	115	B0812131	G4"	-	-	AL Forging
KA133-G4"	133	B0812118	G4"	-	-	AL Forging



Storz couplings: Storz blind cap with chain


Standard: EN/DIN

Material: Stainless Steel 1.4581 / Aluminum / Brass

Seal: Viton / NBR black or white

Storz couplings

Name	KA/mm	Code	Weight	H	Material
KA31	31	B0804002	-	28	SS
KA66	66	B0804006	-	43	SS
KA81	81	B0804008	-	35	SS
KA89	89	B0804010	-	45	SS
KA133	133	B0804012	-	48	SS
KA31	31	B0804074	-	28	AL Forging
KA51	51	B0804092	-	34	AL Forging
KA59	59	B0804025	-	32	AL Forging
KA66	66	B0804075	-	43	AL Forging
KA81	81	B0804078	-	35	AL Forging
KA89	89	B0804076	-	45	AL Forging
KA115	115	B0804079	-	48	AL Forging
KA133	133	B0804072	-	48	AL Forging
KA148	148	B0804051	-	-	AL Forging
KA160	160	B0804043	-	-	AL Forging
KA31	31	B0804049	-	-	AL Casting
KA66	66	B0804082	-	-	AL Casting
KA89	89	B0804014	-	-	AL Casting
KA133	133	B0804015	-	-	AL Casting
KA31	31	B0804030	-	28	BR
KA44	44	B0804032	-	-	BR
KA51	51	B0804028	-	34	BR
KA66	66	B0804027	-	43	BR
KA81	81	B0804036	-	35	BR
KA89	89	B0804037	-	45	BR
KA115	115	B0804041	-	48	BR
KA133	133	B0804050	-	48	BR



Storz
AL Casting
B75 and C52

Storz
AL Casting
A110


Storz couplings: Storz reducer

Standard: EN/DIN

Material: Stainless Steel 1.4581 / Aluminum / Brass

Seal: Viton / NBR black or white

Name	KA/mm	Code	Weight	H	Material
KA66-KA31	66-31	B0815004	-	33	SS
KA89-KA66	89-66	B0815005	-	39	SS
KA133-KA89	133-89	B0815006	-	48	SS
KA66-KA31	66-31	B0815001	-	33	AL Forging
KA89-KA66	89-66	B0815002	-	39	AL Forging
KA115-KA89	115-89	B0815042	-	-	AL Forging
KA133-KA89	133-89	B0815003	-	48	AL Forging
KA133-KA115	133-115	B0815043	-	-	AL Forging
KA148-KA133	148-133	B0815054	-	-	AL Forging
KA160-KA133	160-133	B0815053	-	-	AL Forging
KA66-KA31	66-31	B0815010	-	-	AL Casting
KA89-KA66	89-66	B0815012	-	-	AL Casting
KA133-KA89	133-89	B0815011	-	-	AL Casting
KA81-KA66	81-66	B0815056	-	-	BR
KA66-KA31	66-31	B0815089	-	-	AL Forging+CS
KA89-KA66	89-66	B0815091	-	-	AL Forging+CS
KA133-KA89	133-89	B0815093	-	-	AL Forging+CS



SS



AL



BR



CS

Storz couplings



Storz
Reduction
AB




Storz
Reductions
BC CD

Storz couplings: Storz reducer with locking

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	H	Material
KA133-KA115	133-115	B0815017	-	-	AL Forging
KA148-KA115	148-115	B0815013	-	-	AL Forging
KA148-KA133	148-133	B0815016	-	-	AL Forging
KA160-KA148	160-148	B0815014	-	-	AL Forging



AL

Storz couplings: Storz coupling with segmented binding and latches

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA115-100	115	B0803179	-	100	-	AL Forging
KA133-110	133	B0803188	-	110	-	AL Forging
KA133-114	133	B0803221	-	114	-	AL Forging
KA133-127	133	B0803222	-	127	-	AL Forging
KA148-125	148	B0803180	-	125	-	AL Forging
KA160-150	160	B0803181	-	150	-	AL Forging



AL

Storz couplings: Segmented clamp

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA115-100	115	B0817002	–	100	–	AL Forging
KA133-110	133	B0817005	–	110	–	AL Forging
KA148-125	133	B0817003	–	125	–	AL Forging
KA160-150	133	B0817004	–	150	–	AL Forging
KA133-114	148	B0817006	–	114	–	AL Casting
KA133-127	160	B0817007	–	127	–	AL Casting



AL

Storz couplings: Storz coupling with short tail

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA66-52	66	B0803317	–	52	55	AL Forging
KA89-75	89	B0803318	–	75	60	AL Forging
KA66-52	66	B0803161	–	52	55	AL Casting
KA89-75	89	B0803172	–	75	60	AL Casting



AL

Storz couplings: Storz coupling with CNBOP certificate

Material: Aluminum

Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31-25	31-25	B0803496	–	25	55	AL Casting
KA66-52	66-52	B0803474	–	52	55	AL Casting
KA89-75	89-75	B0803497	–	75	60	AL Casting
KA133-110	133-110	B0803498	–	110	170	AL Casting



AL



PN-M-51031
T-25-AL-O

PN-M-51031
T-52-AL-O

PN-M-51031
T-75-AL-O

PN-M-51031
S-110-AL-O

Storz couplings: Storz rotatable reduction 52/25(45°)

Material: Aluminum
Seal: NBR black or white

Size	KA/mm	Code	Material
50-C	66	B0808016	AL Casting





 AL

Storz couplings

Storz couplings: Storz hydrant cap

Material: Aluminum
Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA66-RD50	66	B0804057	-	-	-	AL Forging
KA81-RD60	81	B0804081	-	-	-	AL Forging
KA89-RD65	89	B0804060	-	-	66	AL Casting
KA133-RD105	133	B0804053	-	-	74	AL Casting





 AL

Storz couplings: Storz hydrant adaptor male / female

Material: Aluminum
Seal: NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA66-RD50	66	B0811124	-	2"	-	AL Forging
KA81-RD60	81	B0811173	-	2-1/2"	-	AL Forging
KA89-RD65	89	B0811090	-	3"	66	AL Forging
KA89-RD65	89	B0811121	-	3"	66	AL Forging
KA133-RD105	133	B0811125	-	4"	74	AL Forging
KA89-RD65	89	B0811134	-	3"	66	AL Casting
KA133-RD105	133	B0811160	-	4"	74	AL Casting




 AL

Storz couplings: Storz long male thread

Material: Stainless Steel 1.4581 / Brass / Aluminum
Seal: Viton / NBR black or white

Name	KA/mm	Code	Weight	D	H	Material
KA31	31	B0811061	-	1"	44	SS
KA44	44	B0811062	-	1-1/4"	-	SS
KA51	51	B0811063	-	1-1/2"	51	SS
KA66	66	B0811064	-	2"	60	SS
KA81	81	B0811065	-	2-1/2"	62.5	SS
KA89	89	B0811066	-	3"	63.5	SS
KA133	133	B0811067	-	4"	-	SS
KA31	31	B0811068	-	1"	44	BR
KA44	44	B0811069	-	1-1/4"	-	BR
KA51	51	B0811070	-	1-1/2"	51	BR
KA66	66	B0811071	-	2"	60	BR
KA81	81	B0811072	-	2-1/2"	62.5	BR
KA89	89	B0811073	-	3"	63.5	BR
KA133	133	B0811074	-	4"	-	BR
KA31	31	B0811054	-	1"	44	AL Forging
KA51	51	B0811056	-	1-1/2"	51	AL Forging
KA66	66	B0811057	-	2"	60	AL Forging
KA81	81	B0811058	-	2-1/2"	62.5	AL Forging
KA89	89	B0811059	-	3"	63.5	AL Forging



AL

Storz couplings: Storz crown CS

Material: Carbon steel

Name	KA/mm	Code	Weight	D	H	Material
KA66	66	B0806159	-	2"	-	CS
KA89	89	B0806160	-	3"	-	CS
KA133	133	B0806161	-	4"	-	CS



CS

You can mix it!

flange x storz



storz x gardon couplings



storz x clamps EN14420-3

storz x BS336

Storz gaskets: Gasket for delivery and suction coupling

Standard: EN/DIN

Material: NBR black / NBR white / Viton green

KA/mm	Code	Weight	D	H	Material
31	B0805010	–	29.5	9	NBR black
44	B0805019	–	–	–	NBR black
51	B0805008	–	51	10	NBR black
66	B0805002	–	64	10.5	NBR black
81	B0805007	–	79	10.5	NBR black
89	B0805003	–	87	10.5	NBR black
105	B0805028	–	–	–	NBR black
115	B0805016	–	–	–	NBR black
133	B0805004	–	130	12.5	NBR black
148	B0805040	–	144	13.1	NBR black
160	B0805029	–	158	13.1	NBR black
31	B0805074	–	29.5	9	NBR white
44	B0805075	–	–	–	NBR white
51	B0805076	–	51	10	NBR white
66	B0805078	–	64	10.5	NBR white
81	B0805079	–	–	10.5	NBR white
89	B0805080	–	79	10.5	NBR white
105	B0805081	–	–	10.5	NBR white
115	B0805082	–	87	10.5	NBR white
133	B0805083	–	130	12.5	NBR white
148	B0805084	–	144	13.1	NBR white
160	B0805085	–	158	13.1	NBR white
31	B0805145	–	29.5	9	Viton green
44	B0805146	–	–	–	Viton green
51	B0805147	–	51	10	Viton green
66	B0805149	–	64	10.5	Viton green
81	B0805150	–	–	10.5	Viton green
89	B0805151	–	79	10.5	Viton green
105	B0805152	–	–	10.5	Viton green
115	B0805153	–	87	10.5	Viton green
133	B0805154	–	130	12.5	Viton green
148	B0805155	–	144	13.1	Viton green
	B0805156	–	158	13.1	Viton green
31	B0805169	–	29.5	9	Silicon white
44	B0805170	–	–	–	Silicon white
51	B0805171	–	51	10	Silicon white
66	B0805173	–	64	10.5	Silicon white
81	B0805174	–	–	10.5	Silicon white
89	B0805175	–	79	10.5	Silicon white
105	B0805176	–	–	10.5	Silicon white
115	B0805177	–	87	10.5	Silicon white
133	B0805178	–	130	12.5	Silicon white
148	B0805179	–	144	13.1	Silicon white
160	B0805180	–	158	13.1	Silicon white



Storz gaskets: Gasket for delivery coupling

Standard: EN/DIN

Material: NBR black / Viton green

KA/mm	Code	Weight	D	H	Material
51	B0805012	–	46	10	NBR black
66	B0805001	–	60	10.5	NBR black
81	B0805013	–	–	10.5	NBR black
89	B0805009	–	82	10.5	NBR black
105	B0805060	–	–	10.5	NBR black
115	B0805042	–	108	10.5	NBR black
133	B0805011	–	124	12.5	NBR black
148	B0805039	–	138	13.1	NBR black
160	B0805038	–	152	13.1	NBR black
51	B0805136	–	46	10	Viton green
66	B0805137	–	60	10.5	Viton green
81	B0805138	–	–	10.5	Viton green
89	B0805139	–	82	10.5	Viton green
105	B0805140	–	–	10.5	Viton green
115	B0805141	–	108	10.5	Viton green
133	B0805142	–	124	12.5	Viton green
148	B0805143	–	138	13.1	Viton green
160	B0805144	–	152	13.1	Viton green



● NBR black
● Viton green

Storz couplings: Storz secure clamp yellow painted

Material: Q235

Name	Size	Code	Material
KA66		B0823015	Q235
KA89		B0823018	Q235
KA133		B0823021	Q235
KA133-KA89		B0823035	Q235



Storz couplings: Storz secure clamp galvanized

Material: Q235

Name	Size	Code	Material
KA66		B0823053	Q235
KA89		B0823055	Q235
KA133		B0823057	Q235
KA133-KA89		B0823075	Q235



Storz couplings: Storz secure clamp with rubber

Material: CS+NBR

Name	Size	Code	Material
KA66		B0823045	CS+NBR
KA89		B0823051	CS+NBR
KA133		B0823052	CS+NBR

