

General Cleaning Conical Head Nozzles



Technical Features:

Conical Head Nozzle is particularly suitable for general cleaning uses, for washing and for breaking obstructions in domestic and private sewers. These Standard nozzles can be supplied with S/steel inserts and with ceramic inserts which are recommended using dirty or recycled water. Ceramic lifetime inserts is longer than s/steel ones.

- Material: high quality hardened and polished steel alloy or polished stainless/steel
- Holes nr: rear 5-6-8/ with or without front jet
- Jets angle: 35°
- Max Pressure: 250 bar
- Engraving: it's possible to engrave customer company name or lt/bar

Application:

- Cleaning of domestic sewer
- Vertical columns and pipes
- Oily debris, limestone, soap, grease
- Sanitary

Conical Head - Standard

Part n.	Description	Hose connection 	Rear jets 	Front jet 	Dimension ØxL (mm) 	Weight (Kg) 	Diameter Pipe (mm) 
13130.01	Conical Head Nozzle	1/8"F	4-5-6 Drilled	1 - Drilled	14x17	0,01	25 - 50
13131.01	Conical Head Nozzle	1/8"M	4-5-6 Drilled	1 - Drilled	14x21	0,01	25 - 50
13134.01	Conical Head Nozzle	1/4"F	4-5-6 Drilled	1 - Drilled	18x27	0,03	25 - 60
13139.01	Conical Head Nozzle	1/4"M	4-5-6 Drilled	1 - Drilled	18x31	0,03	25 - 60
13142.01	Conical Head Nozzle	3/8"F	4-5-6 Drilled	1 - Drilled	23x35	0,04	40 - 80
13143.01	Conical Head Nozzle	3/8"M	4-5-6 Drilled	1 - Drilled	20x34	0,04	40 - 80
13145.01FT	Conical Head Nozzle	1/2"F	6-8 Drilled	1 - M6x8	28x42	0,08	50 - 100
13146.01FT	Conical Head Nozzle	1/2"M	6-8 Drilled	1 - M6x8	28x53	0,16	50 - 100
13147.01FT	Conical Head Nozzle	3/4"F	6-8 Drilled	1 - M6x8	32x62	0,25	60 - 130
13148.01FT	Conical Head Nozzle	1"F	6-8 Drilled	1 - M6x8	45x66	0,38	80 - 200


For S/Steel nozzles write "I" after each part n.(ex.13130.01I)



Conical Head - S/Steel Inserts

Part n.	Description	Hose connection 	Rear jets 	Front jet 	Dimension ØxL (mm) 	Weight (Kg) 	Diameter Pipe (mm) 
13145.01A	Conical Head Nozzle	1/2"F	6 M6x8	1 - M6x8	28x42	0,08	50 - 100
13146.01A	Conical Head Nozzle	1/2" M	6 M6x8	1 - M6x8	28x53	0,16	50 - 100
13147.01A	Conical Head Nozzle	3/4" F	6 M6x8	1 - M6x8	35x62	0,25	60 - 130
13148.01A	Conical Head Nozzle	1"F	6 M6x8	1 - M6x8	45x66	0,38	80 - 200

For S/Steel nozzles write "I" after each part n.(ex.13145.01AI)



Conical Head - Ceramic Inserts

Part n.	Description	Hose connection 	Rear jets 	Front jet 	Dimension ØxL (mm) 	Weight (Kg) 	Diameter Pipe (mm) 
13145.01C	Conical Head Nozzle	1/2"F	5-6 M6x8	1 - M6x8	14x17	0,08	50 - 100
13146.01C	Conical Head Nozzle	1/2"M	6 M6x8	1 - M6x8	14x21	0,16	50 - 100
13147.01C	Conical Head Nozzle	3/4"F	6 M6x8	1 - M6x8	18x27	0,25	60 -130
13148.01C	Conical Head Nozzle	1"F	6 M6x8	1 - M6x8	18x31	0,38	80 - 200

For S/Steel nozzles write "I" after each part n. (ex.13145.01CI)



Cos.ma.s snc di Abrescia M. & C.

Via del lavoro, 16 - 33080 Roveredo in Piano (PN) - Italy
 Telefono: +39 0434 922560 - Telefax: +39 0434 590737
 e-mail: info@cosmasitalia.com - www.cosmasitalia.com

COSMAS 